Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India.

Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02

e-mail: sp.sadanand@godrejinds.com **1** Identification · Trade name: GODREJ SLES P24-170 (Sodium Lauryl Ether Sulphate) · CAS Number: 68891-38-3 · EC number: 500-234-8 · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Personal care products · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Godrej Industries Limited, Plot No 3, Village Kanerao, Taluka Valia, District Bharuch, Gujarat, India. Pin: 393135 Telephone:02643 270756 / 57 / 58 / 59 / 60 Fax:91-2643 270018 · Information department: Mr SP Sadanand, Email: sp.sadanand@godrejinds.com Tel No.: 022- 25194611 Telephone number of EU importer: Opening hours: (08.30 –17.00 hours GMT +5.5 hours) Other Comments

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Other Comments (e.g. language(s) of the phone service): English

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🗙 Irritant

Irritating to eyes and skin. May cause sensitisation by skin contact. • *Information concerning particular hazards for human and environment:* Not applicable.

· Label elements

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:




Irritant

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India. Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 *Rev. 02 Effectiv.*

Effective date 01/04/2019

e-mail: sp.sadanand@godrejinds.com



4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

Monitor for respiratory distress. If cough or difficulty breathing develops, evaluate for respiratory tract irritation, bronchitis, or pneumonitis. Administer oxygen and assist ventilation as required. Treat bronchospasm with beta2 agonist and corticosteroid aerosols.

• After skin contact:

Remove contaminated clothing and wash exposed area thoroughly with soap and water. A physician may need to examine the area if irritation or pain persists.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

If symptoms persist consult doctor.

Administer charcoal as a slurry (240 ml water/30 g charcoal). Usual dose: 25 to 100 g in adults/adolescents

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Information for doctor: Treat symptomatically and supportively.

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India. Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02 Effectiv

e-mail: sp.sadanand@godrejinds.com

Effective date 01/04/2019

Page 3/9

Trade name: GODREJ SLES P24-170 (Sodium Lauryl Ether Sulphate)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture
- In case of fire, the following can be released: Sulphur dioxide (SO2) Carbon monoxide (CO) Carbon dioxide (CO2) • Advice for firefighters
- · Protective equipment:

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:
- Sweep up, place in a bag and hold for waste disposal. Ventilate area and wash spill site after material pickup is complete.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace. Avoid contact with eyes and skin.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool, dry, well-ventilated area away from incompatible substances.
- · Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Use leak-proof Drums. Store in dry locations at ambient temperature (< 35° C) away from direct sunlight. The product will be stable for 1 year in the original sealed drum, under the above mentioned storage conditions and also maintaining the pH > 6 at all times. A slight pH drop is expected during prolonged storage. Avoid Freezing and Excessive Heating above 40 Deg C. Suitable containers are HMHDPE Drums / SS Tanks / ISO Tanks. DO NOT USE MILD STEEL TANKS OR TRANSFER LINES FOR THIS PRODUCT

· Specific end use(s) Personal care products

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India. Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02 Effective

Effective date 01/04/2019

e-mail: sp.sadanand@godrejinds.com

Trade name: GODREJ SLES P24-170 (Sodium Lauryl Ether Sulphate)

8 Exposure controls/personal protection

- Additional information about design of technical systems: Local exhaust ventilation required plus good work practice. Safety shower. Eye fountain.
- · Control parameters
- *Components with limit values that require monitoring at the workplace: The substance does not have critical values that have to be monitored at the workplace.*
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

 Information on basic physical and chemical properties General Information 		
Appearance:	Pale Yellow Translucent Paste	
Form:	Paste	
Color:	Pale Yellow Translucent	
Odor:	Characteristic	
<i>pH-value at 26 •C (79 •F):</i>	6.47 (1 vol%)	
Change in condition		
Melting point/Melting range:	5 °C (41 °F)	

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India. Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02 Effective d

Effective date 01/04/2019

e-mail: sp.sadanand@godrejinds.com

nde name: <u>GODREJ SLES P24-170 (Sodiun</u>	
Boiling point/Boiling range:	100 °C (212 °F) (at 760 mm)
· Flash point:	> 93.9 °C (> 201 °F)
· Flammability (solid, gaseous):	Product is not flammable.
· Auto igniting:	Product is not self igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Vapor pressure at 25 °C (77 °F):	0.00000000133 Pa
• Density at 39 •C (102 •F):	1.022 g/cm ³ (8.529 lbs/gal)
· Solubility in / Miscibility with Water:	Soluble.
· Partition coefficient (n-octanol/water) at 39	9 °C (102
•F):	-0.602 log POW
 Viscosity: Dynamic at 39 °C (102 °F): Other information 	182.78 mPas Dissociation constant: The experimental pKa value fo Alcohols, C12-14, ethoxylated, sulfates, sodium salts wa found to be 0.000000000000000043 at 39 degC Surface tension: The surface tension of Alcohols, C12 14, ethoxylated, sulfates, sodium salts was estimated to be 49.414mN/m at 20 deg.C

10 Stability and reactivity

· Reactivity

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Do not subject to acidic pH. Avoid contact with strong acids and oxidising substances
- *Incompatible materials: The product may react with acids.*
- · Hazardous decomposition products: The product may yield oxides of sulphur & carbon

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral | LD50 | > 5000 mg/kg bw (rat)

Dermal LD50 3658.33 mg/kg bw (rabbit)

· Primary irritant effect:

• On the skin:

Irritant to skin and mucous membranes.

The test substance Alcohols, C12-14, ethoxylated, sulfates, sodium salts was found to be irritating to skin of rabbit at a dose concentration of 0.5 ml in a 24 hr exposure.

• On the eye:

Irritating effect.

The test substance was applied to the right eye of each of 6 rabbits. The eyes of all 6 rabbits were found to show evidence of significant corneal, iris and conjunctival changes. Mean irritation scores ranged from 34.8 at 24 hours to 10.2 after 7 days. Thus suggesting that Alcohols, C12-14, ethoxylated, sulfates, sodium salts is irritating to the

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India.

Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02

e-mail: sp.sadanand@godrejinds.com

Trade name: GODREJ SLES P24-170 (Sodium Lauryl Ether Sulphate)

eyes.	
Sensitization:	
Sensitization possible through skin contact.	ium
In vivo LLNA study on mouse for skin sensitisation with Alcohols, C12-14, ethoxylated, sulfates, sod salts, sulfates, sodium salts showed EC3 percentage of 11.8% this predicted value of percentage indicates	
the test substance was found to be sensitizing to skin of mouse.	inai
• Subacute to chronic toxicity:	
Repeated dose toxicity: Oral	
The Low Observed Effect Level (LOEL) of Alcohols, C12-14, ethoxylated, sulfates, sodium salts in Spray	gue-
Dawley rats in 21 days study was observed at dose concentration of 508 mg/kg bw/day (nominal)	-
· Additional toxicological information:	
· Carcinogenic categories	
• IARC (International Agency for Research on Cancer) Substance is not listed.	
• NTP (National Toxicology Program) Substance is not listed.	
· OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.	
12 Ecological information	
· Toxicity	
· Aquatic toxicity:	
EC50 (72hr) (static) 115.072 mg/L (Pseudokirchneriella subcapitata)	
LC50 (48hr) (static) 86.09 mg/L (Daphnia magna)	
LC50 (96hr) (static) 25 mg/L (Danio rerio)	
• Persistence and degradability The product is Readily biodegradable.	
· Bioaccumulative potential	
The estimated bioconcentration factor (BCF) for Alcohols, C12-14, ethoxylated, sulfates, sodium salts is 71,	
indicating that Alcohols, C12-14, ethoxylated, sulfates, sodium salts is not expected to bioaccumulate in the food	d chai
• Mobility in soil	,
Soil Adsorption Coefficient i.e Koc value of Alcohols, C12-14, ethoxylated, sulfates, sodium salts was estimated 2111L/kg by means of MCI method. This indicates that Alcohols, C12-14, ethoxylated, sulfates, sodium sal	
have a strong tendency of sorption to soil and have low migration potential to groundwater.	is will
· Additional ecological information:	
• General notes: Do not allow product to reach ground water, water course or sewage system.	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
• Other adverse effects No further relevant information available.	
13 Disposal considerations	
· Waste treatment methods	
• Recommendation: Incinerate according to applicable local, state and federal regulations.	
· Uncleaned packagings:	
• Oncleaned packagings: • Recommendation: Disposal must be made according to official regulations.	
Accommentation Disposat mast of made according to official regulations.	USA

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India. Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 *Rev. 02 Effective a*

e-mail: sp.sadanand@godrejinds.com

Effective date 01/04/2019

Trade name: GODREJ SLES P24-170 (Sodium Lauryl Ether Sulphate)

4 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not applicable
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Not applicable
· Packing group · DOT, ADR, IMDG, IATA	Not applicable
 Environmental hazards: Marine pollutant: 	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	Not applicable

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value established by ACGIH) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

• *Product related hazard informations:* The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:



Irritant

• **Risk phrases:** Irritating to eyes and skin. May cause sensitisation by skin contact.

USA

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India.

Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02

e-mail: sp.sadanand@godrejinds.com

Effective date 01/04/2019

Trade name: GODREJ SLES P24-170 (Sodium Lauryl Ether Sulphate)

· National regulations:

• Other regulations, limitations and prohibitive regulations EU (EINECS) – Listed Canada - DSL/NDSL – Listed China-NEPA (IECSC) – Listed Japan-MITI – Listed Philippines-PICCS – Listed New Zealand (NZIoC) – Listed Australia-AICS – Listed

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department. Contact: Mr. SP Sadanand Akshay Bhavsar Tel no. 022-25194611 Email: rv.dubhashi@godrejinds.com, ap.bhavsar@godrejinds.com · Date of last revision 01/04/2019 · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Sources • Occupational Safety & Health Administration (OSHA) https://www.osha.gov/Publications/OSHA3514.html • Data from published dossier on ECHA website: http://apps.echa.europa.eu/registered/data/dossiers/DISS-dffb4072-e290-47ae-e044-00144f67d031/ DISSdffb4072-e290-47ae-e044-00144f67d031 DISS-dffb4072-e290-47ae-e044-00144f67d031.html \cdot * Data compared to the previous version altered. • Section 1: Identification of the substance/preparation & of the company/undertaking. • Section 2: Hazard Identification • Section 3: Composition/Information on Ingredients • Section 4: First-aid measures • Section 5: Fire-fighting measures Section 6: Accidental Release measures • Section 7: Handling and storage. • Section 8: Exposure Controls/Personal protection. • Section 9: Physical and Chemical properties. • Section 10: Stability and Reactivity. • Section 11: Toxicological Information.-

Registered office: Pirojshanagar, Eastern Express Highway, Vikhroli, Mumbai 400 079, India.

Phone: (91-22) 2518 8010 / 2518 8020 / 2518 8030 extn: 4611 Fax: (91-22) 2518 8063 / 2518 8065 Rev. 02

e-mail: sp.sadanand@godrejinds.com

Trade name: GODREJ SLES P24-170

- Section 12: Ecological Information.
- Section 13: Disposal consideration
- Section 15: Regulatory information